














These Tools and Equipment are Recommended by NNA to effectively complete the service and repairs offered in the Express Service bays











Your TECH-MATE Field Representative will help you get all of the service tools and equipment you need to successfully launch your Express Service business. Please visit nissantechmate.com, select the "Sales Rep Locator" link to find your local representative.









nissantechmate.com







Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Lifts					
10,000 lb. Capacity 2-Post Asymmetric Lift <ul style="list-style-type: none"> • True asymmetric, with columns at rotated 30°. • "Double S" column design with single piece construction provides a channel for the bearings to travel in, maximizing the strength of the column and surface contact area of the bearing • Power unit mounted on top edge of tower, up and out of the way. • Two full stroke cylinders, one in each column. • Standard Three-stage Flip up contact design. • Arm restraints on each arm engage when the vehicle is lifted. • ALI/ETL/CSA Certified. 	39-A10i-RA  	\$4,770			
7,000 lb. Asymmetric 2-Post Above-Ground Fast Service Lift with Moveable Pads <ul style="list-style-type: none"> • Pad contact lift. • Conventional controls located on power unit. • Two stage arms with three position flip-up adaptors. • 74" Rise. • 11' 8" overall height. • Overhead Equalization System. • Electric-Hydraulic Operation. • 89" Drive thru clearance. • 11' 4" Overhead clearance. • Single Phase, 208/230 volts • ALI/ETL/CSA Certified. NOTE: 39-FJ6227 Rotary drive-on arms. Allows you to "upgrade" your older model SPOA10 Rotary lift into moveable pad carrier. Call for pricing.	39-SPOA82-MP  	\$5,728			
Internal Air Line Kit	39-FC5760  	\$382			
High Speed Lift					
9,000 lb. Double Scissor Lift <ul style="list-style-type: none"> • No mechanical connection between the scissors gives you free access between both platforms. • Low clearance 5.3" for easy access. • Lifting safety through polymer pads for protection of underbody. • Light weight transverse are available for lifting between platforms and narrow frame vehicles. • Hydraulic connections can be installed under concrete with available hose extensions. • Space saving design makes it possible to install five 9,000 lb. double scissor lifts in the same area as four 2-Post lifts. • ALI/ETL/CSA Certified. NOTE: 119-SOE-VZ970125 Drive-over ramps required for low-profile vehicles. Set of four \$977.00	119-SOET9000   	\$11,679			











*Prices subject to change. Products are sold F.O.B. Shipping Point.
 Many products are offered at Promotional Pricing throughout the year.
 Please visit nissantechmate.com, click on "Latest Deals" to view the most current promotion offers.






Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Wheel Balancer					
Road Force® GSP9700 Wheel Balancer <ul style="list-style-type: none"> The Road Force roller applies up to 1,250 lbs. of pressure against the wheel assembly to detect non-balance-related issues. Unlike non-contact measurement, the roller samples the entire footprint of the tire, including the sidewall's contribution to ride quality. StraightTrak® LFM (Lateral Force Measurement) assesses the lateral forces in tires that cause pulls and drifts and provides corrective measures to minimize, offset or eliminate the problem. The ForceMatching® procedure finds the stiffest area of a tire's sidewall and the lowest spot on a rim to be marked and matched to cancel vibration caused by radial force variation. TranzSaver™ compares tire circumferences as specified by OEs to prevent damage to AWD vehicles. 	1-RF13  HUNTER <i>Engineering Company</i>	\$14,077			
Tire Changer					
TC3700 Tire Changer <ul style="list-style-type: none"> Center-support table with Quick Clamp that adds flexibility to easily mount large-diameter wheels. The clamping table can be adjusted to three different heights to allow the technician to work at the most effective position. Variable-speed, high-torque electric drive system operates at a low speed with increased torque to prevent damage to wheels and tire beads when servicing tough combinations or at a faster speed when servicing less difficult combinations. The floating 3-point articulated mounting arm is faster and easier to use than any other design and allows the exclusive polymer mounting head to follow the rim closely, reducing the stress of the bead. 	1-TC3715EW  HUNTER <i>Engineering Company</i>	\$13,616			
Impact Wrench					
1/2" Impact Wrench <ul style="list-style-type: none"> Reverse bias power. Twin hammer impact mechanism. Built-in power regulator. Down handle exhaust. Drive size: 1/2" Free speed: 8,000 r.p.m. Recommended hose size: 3/8" 	223-5050A  SIoux	\$229			
Hex Socket					
14 mm Male Hex Socket <ul style="list-style-type: none"> 1/2" drive x 14 mm Hex driver. 	223-2914M  Gp	\$13			





Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Torque Wrenches					
Clikker Torque Wrench <ul style="list-style-type: none"> • Meets all federal specifications. • Ratchet-style heads. • Permanently roll-marked scales. • Molded plastic storage case. • 30 – 150 ft.-lbs. • 4.2 lbs. 	16-7377  	\$186			
Impact Socket Set					
10-Pc. 12-Point Standard/Metric Impact Socket Set <ul style="list-style-type: none"> • All Proto sockets feature chamfered service ends for quick and positive fastener engagement. • Includes: 10 – 19 mm standard length sockets. • Packaged on a metal rail. 10-Pc. 12-Point Standard/Metric Impact Socket Set 	223-7410  	\$82			
12-Pc. 1/2" Drive 6-Point Standard/Metric Laser Socket Set <ul style="list-style-type: none"> • Includes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 15/16", 1" and 1-1/16" Standard Sockets and 12 – 22, 24 and 27 mm Metric Sockets. 	223-15884-15885  	\$111			
1/4", 3/8" and 1/2" Teardrop Ratchet/Socket Set <ul style="list-style-type: none"> • Full polish quick release teardrop ratchet. • Includes 1/4", 3/8" and 1/2" drive. 	223-44803-43148  	\$209			
Ratchet					
3/8" Air Ratchet <ul style="list-style-type: none"> • Steel angle head. • Aluminum housing. • Grade 5 bolt capacity: 7/16" • Drive size: 3/8" • Free speed: 185 r.p.m. 	223-5011  	\$132			






Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Wrench Set					
26-Pc. 12-Point Standard and Metric Combination Wrench Set <ul style="list-style-type: none"> Includes: 13 full polish combination SAE wrenches: 1/4 – 1" and 13 full polish combination metric wrenches: 7 – 9 mm. 	223-9-34951  	\$179			
Screwdriver Set (Phillips/Standard)					
10-Pc. Professional Screwdriver Set <ul style="list-style-type: none"> Features a comfortable, square handle design which allows you to generate maximum torque with minimum hand fatigue, even if your hands are greasy. Precision ground and vapor blasted tips help the screwdriver grip the fastener. Hex bolster on most screwdrivers lets you generate extra turning power. Set contains: Slotted; 3/16" x 4", 1/4" x 2-1/4", 1/4" x 4", 1/4" x 8", 5/16" x 6", 3/8" x 8", Phillips; #1 x 4", #2 x 2-1/4", #2 x 4", #3 x 6". Packaged in a plastic tray. 	223-9-47203  	\$92			
8-Pc. Screwdriver Set <ul style="list-style-type: none"> Set contains: Slotted; 1/4" x 2-1/4", 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 8", Phillips; #1 x 4", #2 x 2-1/4", #2 x 4". Blade made from round stock for quick and easy clean-up. Grit blasted tip for better grip on fasteners. 	223-9-47202  	\$83			
Pliers and Crimping Tool					
5-Pc. Tool Roll Pliers Set <ul style="list-style-type: none"> Includes: 7" diagonal, 8" long nose, 6-3/4" slip joint, 9-1/2" arc joint and 10 – 20 AWG wire stripper. 	223-9-45235/ 9-73573  	\$65			





Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Pliers and Crimping Tool (cont.)					
3-Pc. Plier Set and Adjustable Wrench Set <ul style="list-style-type: none"> • Plier set includes: 6-3/4", 8" and 10" slip joints. • Wrench set includes: 15/16 – 6", 1/8 – 8" and 1-1/4 – 10" lengths. 	223-45233-50475 	\$137			
Brake Pad Color Gauge					
8-Pc. Brake Gauge Set <ul style="list-style-type: none"> • Constructed of 20 gauge sheet metal with a durable powder-coat finish. • Improves customer confidence and helps eliminate the question "Did I really need a brake job?" • Increases productivity. • Improves sales and profit. 	223-97844 	\$25			
Cordless Drill					
M18™ 18 Volt Cordless Drill <ul style="list-style-type: none"> • 1/2" ratcheting chuck with plastic sleeve. • Heavy-duty 2-speed metal gear box: 0 – 350/0 – 1,400 r.p.m. • Compact length (7-3/4") fits in tight areas. • Compact motor delivers 400 in.-lbs. of maximum torque. • Built-in LED light illuminates work surfaces. • Lightweight 4.0 lbs. • Includes two batteries/charger/carrying case. 	223-2601-22 	\$356			
Oil Filter Tools					
Oil Filter Tool, Small, 65 mm	J-37140-A 	\$22.04			
Oil Filter Tool, Medium, 80 mm	J-34274 	\$25.69			
Oil Filter Tool, Large, 92 mm	J-22775 	\$16.03			






Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Oil Filter Tools (cont.)					
<p>Oil Filter Wrench Assortment Includes:</p> <p>Cap Filter Wrench Set</p> <ul style="list-style-type: none"> • The cap style filter wrench set includes ten 3/8" drive cap wrenches. • Fits 95% of domestic and import automotive applications. • Complete set comes in a handy 10" x 13" plastic case. • Shipping weight 5 lb. 7 oz. • Wrench sizes include: 65/67 mm - 14 Flutes, 80 mm - 15 Flutes, 68 mm - 14 Flutes, 86 mm - 16 Flutes, 74/76 mm - 15 Flutes, 93 mm - 15 Flutes, 76 mm - 14 Flutes, 93 mm - 36 Flutes, 76 mm - 30 Flutes, 100 mm - 15 Flutes <p>Swivel Grip Oil Filter Wrenches</p> <ul style="list-style-type: none"> • Handle swivels to clear obstructions. • Features the swivel handle, gripper "teeth" and 1" wide stainless steel band. • The swivel handle makes it easy to turn filters in hard to reach locations. • Range: 2-7/8 – 3-7/8". <p>Oil Filter Pliers</p> <ul style="list-style-type: none"> • Two-position, slip-joint handle produces the range of three separate conventional filter wrenches. • Overall range: 2-1/4 – 4". • Jaws are bent at a 20 angle to fit more applications. • Sure grip teeth prevent slipping. • Cushioned handles provide comfort. 	<p>223-50000</p>    	<p>\$119</p>			
<p>Oil Filter Wrench Pliers</p> <ul style="list-style-type: none"> • Pliers remove stubborn, on-tight filters. • Unique, dual-handle styling allows for better leverage to bear down harder. • Range: 2-3/4 – 3-1/8". 	<p>223-3369</p>  	<p>\$31</p>			
<p>Universal 3-Jaw Oil Filter Wrench</p> <ul style="list-style-type: none"> • Remove all passenger car and light-duty truck spin-on type filters with this wrench. • Sizes range from 2-1/2 – 3-3/4". • Use with 3/8" square drive tool. • Weight: 0.5 lbs. 	<p>223-3288</p>  	<p>\$17</p>			
Oil Drains and Catch Guards					
<p>16 Gallon Receiver with Drum</p> <ul style="list-style-type: none"> • Caster base. • Drum cover with front level gauge. • Funnel assembly. • 16 gallon drum. 	<p>11-239-301</p>  	<p>\$467</p>			









Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Oil Drains and Catch Guards (cont.)					
<p>18 Gallon Air Evacuation Oil Drain</p> <ul style="list-style-type: none"> Eliminates the need for a separate pumping system. Shop air is used with 6-1/2' discharge hose. Conveniently portable. Unit has built-in safety valve to prevent over pressurization of tank. 18 gallon capacity. All metal construction. Heavy-duty 5 gallon collection bowl. 	<p>651-3734</p>  <p>SAMSON</p>	\$471			
<p>Spillguard Maximum-Duty Drain</p> <ul style="list-style-type: none"> 19-1/4" telescoping bowl extends to 65" height. Quick height adjustment. Wide track dolly. 16 gallon drum, dipstick, bowl screen and drum spigot. Drum level float indicator and dry-break hydraulic evacuation nipple mounted above the drum. 	<p>44-4110-010</p>  <p>Balcrank</p>	\$499			
<p>Oil King 25 Gallon Used Oil Receiver</p> <ul style="list-style-type: none"> Polyethylene tank with used filter tray. Tool holders. 4" capped port and site gauge. All hardware for top side evacuation or bottom drain. 	<p>11-238-866</p>  <p>GRACO</p>	\$499			
Bulk Fluid Dispensing Packages					
<p>230 Gallon Cubet</p> <ul style="list-style-type: none"> Includes: Tank, Pump, Reel, Electronic Meter. ULC Listed. Space-saving, only 34" of floor space. Fluid level is always visible. Will not rust or leak. Package ships completely assembled. 140 gallon and 330 gallon packages also available. Dual containment steel basket is also available. 	<p>651-3232</p>  <p>SAMSON</p>	\$1,885			
<p>Pneumatic Delivery System</p> <ul style="list-style-type: none"> 2 full-size stations. A productive way to move car keys, work orders, invoices, etc. in your dealership from point to point. <p>Recommended: 1 system</p>	<p>32-41510000</p>  <p>ALPHA PNEUMATICS INC.</p>	\$2,604			





Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Bulk Fluid Dispensing Packages (cont.)					
In-Bay Overhead Reels, 4 Gang	44-2220-008  Balcrank	\$655			
Oil Filter Crusher					
25-Ton Heavy-Duty Oil Filter Crusher <ul style="list-style-type: none"> • Handles the big filters (up to 6" dia. and 12-1/2" long) found in trucks, construction equipment and farm implements. Can also handle filters from cars and light trucks. It does it all! • Crushes filters to 1/4 of original size, removing up to 95% of filter's oil capacity. Automatic cycle feature — load the filter, push a button and walk away. • Built-in floor stand (completely assembled). Whole unit requires just 5 square feet of floor space. • Weighs 242 lbs. • Made in USA. WARRANTY: OTC Lifetime Marathon Warranty®.	16-1877  OTC AN SPX BRAND	\$3,686			
Oil Tank					
Bulk Storage Tank, Single Wall/New and Used Oil Storage <ul style="list-style-type: none"> • Superior steel welded construction meets the rigid UL 142 design criteria and NFPA 30A code. • Integral structural supports welded to the underside of each tank minimize corrosion concerns and allow for easy visual inspection. • Heavy-duty forged fittings for fill, vent, gauge, emergency vent and pump connections are welded into each tank. • Strategically located integral lifting lugs are located to facilitate unloading and placement of the tank. • Red primer paint provides economical, yet effective, surface condition protection. (Enamel paint available at extra charge.) • 280 gallon. 5' l x 2' 4" w x 3' 3" h. 	315-00-5213  Highland Tank	\$866			
Oil Dispensers					
SDP5 Electronic Preset Metered Dispense Valve <ul style="list-style-type: none"> • Large 3/8" display. • Front face calibration. • Changeable units of measure. • Automatic shutoff at preset amount. • Resettable total — for tracking daily or weekly totals. • Lifetime totalizer. • Integrated fluid filter. 	11-255-200  GRACO	\$622			





Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Oil Dispensers (cont.)					
<p>Ergonomically Designed Metered Fluid Handles</p> <ul style="list-style-type: none"> • 200 pulses per unit of measure, making this handle one of the most accurate in the market. • Uses (2) AAA batteries — available anywhere. • Waterproof: Can be used outdoors. • Maximum pressure rating 1,500 p.s.i. • Flow rate: .25 – 8 g.p.m. • Temperature range: -10 – 176° F. • Adjustable units of measure: Pints, quarts, liters, gallons. 	<p>651-2161</p>  <p>SAMSON</p>	<p>\$291</p>			
<p>Electronic Preset Control Handle</p> <ul style="list-style-type: none"> • Rigid extension. • Auto or manual mode. • Two outlet extension positions. • Six-digit total and resettable total. • Heavy-duty housing. • Shock resistant shroud. • Semiautomatic tip. 	<p>44-3331-014</p>  <p>Balcrank</p>	<p>\$605</p>			
Reel Lights					
<p>40' Stubby II® Automatic Fluorescent Reel Light</p> <ul style="list-style-type: none"> • Lite-n-lok micro switch on/off, no external switches. • Conforms to UL standard 355 for use above hazardous locations. • Provides same light as 75 – 100 watt incandescent. • Patented rough service lamp. • Cord: 40', 18/2 SJTOW wire. • Bulb: 13 watt dual-filament fluorescent. • Made in USA. 	<p>223-3613-3512</p>  <p>WRIGHT TOOL COMPANY</p>	<p>\$128</p>			
<p>40' Stubby II® LED Reel Light</p> <ul style="list-style-type: none"> • Stubby II LED with end light, 40' reel. • Models are available with or without flashlight end. • Single switch in handle controls all LEDs. • Long Life LEDs are rated to 50,000 hours and equivalent to 13 watt fluorescent. • One watt high output LED provides a bright flashlight out the end. • Quality anodized heat sink prevents LEDs from overheating. • Soft bumpers provide impact protection to the fixture. 	<p>223-1940-8000</p>  <p>SAF/LITE</p>	<p>\$157</p>			
<p>Stubby II® Cordless LED</p> <ul style="list-style-type: none"> • Stubby II cordless includes a charger and two battery packs. • Eight 1/2 watt high output side LEDs with 120 degree angle provide equivalent light pattern to a fluorescent lamp. • One 2 watt high output lens end LED provides a bright flashlight out the end. • Covered on/off switch controls side and end LEDs. • 7.2 volt NiMH rechargeable battery pack operates the light for 5 hours straight when fully charged. • 120 volt charger will charge the battery in four hours. • Fuel gauge indicator light in handle of light fixture blinks rapidly when battery is charged and slows as the battery is depleted. Cut-off circuitry in the battery prevents damage from running the battery down too low. • Removable battery can be charged in four hours. 	<p>223-2302-0001</p>  <p>SAF/LITE</p>	<p>\$199</p>			





Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Flashlights					
12 Volt Rechargeable Worklight <ul style="list-style-type: none"> Battery and charger sold separately. Xenon bulb. 90° head rotation. Integrate magnet. 	223-49-24-0145 	\$33			
D-Cell Flashlight <ul style="list-style-type: none"> 90° angle head for access to tight places. D-cell batteries not included. 	223-N47 	\$14			
Air Hose Reels					
Retractable Air Hose 1/2" x 50' <ul style="list-style-type: none"> Durable heavy-gauge, all steel construction. Heavy-duty rubber air hoses. Slotted mounting base for easy attachment to ceiling, walls, workbenches. Five-position adjustable outlet roller arm. Spring-powered automatic recoil. Angled hose guide for smooth, parallel hose pull-out and retraction. Eight-position ratchet gearing locks the reel at the desired hose length. Includes bare hose reel, 50' delivery hose, ball stop. Assembly description: 50' of 1/2" air hose. Inlet/outlet connection: 1/2" NPT. Maximum pressure: 300 p.s.i. Maximum air flow: 35 c.f.m. 	223-83754 	\$193			
Open Air/Water Hose Reel <ul style="list-style-type: none"> Low pressure hose reel. Wide beam structural parts. 8-position locking precision die cast latch. Machined thick wall hub parts. 5-position outlet arm. Wide 6-roller outlet. 1/2" x 50' hose. 	44-2120-020 	\$413			

Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Air Hose Reels (cont.)					
<p>Heavy-Duty SD20 Series Open Hose Reel</p> <ul style="list-style-type: none"> • Unique base-mount hose guide for tank mounting. • Lightweight, slotted base for easy installation. • Factory installed fluid hose stays flexible for easier handling, even under pressure. • Multi-position hose guide for overhead applications. • Air hose 1/2" x 50'. 	<p>11-HPM65B</p>  	<p>\$469</p>			
Air Pressure Gauge (Hose Type)					
<p>Digital Tire Inflator</p> <ul style="list-style-type: none"> • Range: 0 – 300 p.s.i./bar/kPa. • Accuracy: ± 1% full scale. • Backlight can be powered ON or OFF to conserve battery power. • Allows user to preset target inflation pressure for reference. • Audible tone when target pressure is achieved. • Inflate and deflate controls. • 12.0" hose assembly with locking chuck included. • Full-body shock boot for added protection. • Auto-OFF function. • Powered by 9 volt DC alkaline battery. 	<p>223-97952</p>  <p>STEELMAN.</p>	<p>\$100</p>			
Tire Tread Depth Gauge					
<p>Tread Depth Gauge</p> <ul style="list-style-type: none"> • The accurate and convenient way to measure the depth of new "SIPE TREADS" as well as conventional treads. A must in determining remaining tire life! • Round aluminum indicator bar calibrated from 0 – 1" in 1/32" markings. • Large base. • Flat blade. • Handy packet clip. 	<p>223-448</p>  	<p>\$5</p>			

Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Rolling Small Tool Cart with Locking Lid					
4-drawer Utility Cart <ul style="list-style-type: none"> • KTI's 4-drawer carts are built for rugged, professional environments and feature all-steel construction. • Piano style hinges are manufactured with chrome-plated steel and are sturdy and lockable. • Cart rolls smoothly, even at maximum weight, on four 5" x 2" swivel casters (brakes on two wheels). • Large storage drawers with all-steel ball bearing slides, are lined with non-toxic EVA. • Cart features 22-slot screwdriver storage, allowing handles to be stored in top locking tray. • An additional side locking box features 22-slot prybar storage capable of storing tools with handle lengths up to 10"! • Tool cart holds up to 540 lbs. • Powder coat finish. • Overall dimensions: 39" w x 19-1/2" d x 35-1/2" h. • Color: Red. 	223-75140  	\$428			
Parts Cabinet					
Locking Parts Storage Cabinet <ul style="list-style-type: none"> • 36" h x 12" w x 7' 3" l. 	450-5012  	\$695			
Seat Protectors					
Seat Protectors Strong. Effective. High Protection. Produced from a specially formulated resin, these protectors have an unusually high strength-to-weight ratio. <ul style="list-style-type: none"> • Helps prevent tool punctures, rips, grease marks. Sold in three different thicknesses: • 696-10-005 Standard .7 mil – 500/roll Clear Plastic • 696-10-001 1.0 mil plastic – 200/roll Clear Plastic • 696-10-006 Heavy-Duty 1.5 mil – 200/roll Clear Plastic 	 	696-10-005 \$53 696-10-001 \$36 696-10-006 \$53			
Floor Mats					
Eco-Barrier™ Paper Floor Mats <ul style="list-style-type: none"> • Paper floor mats with a recycled biodegradable coating. • Manufactured from recycled materials – 100% recycled. • 17" x 22". • 500/case. 	696-20-008  	\$36			

Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Oil Stickers and Printer					
<p>Static Cling Printer</p> <ul style="list-style-type: none"> • Zebra TLP2824 printer with Keyboard Display Unit. • Protective Skin to keep the keyboard clean. • 1 year parts and labor warranty (6 months on print head). • 1 printer ribbon. • Printer is preprogrammed with dealership name and phone number (i.e., it will work right out of the box). • Operator's manual. <p>Please specify at time of ordering your Dealer Name (maximum 20 characters) and phone number as you would like it to appear at the bottom of each label.</p>	<p>544-DFB-C9674-50A</p> 	<p>\$799</p>			
<p>Red Oil Can Sticker & Ribbon Kit</p> <p>These labels are 100% smudge-proof and guaranteed not to fade. The stickers have "Check Your Oil" at the top; the printer will be preprogrammed to print your dealer name and phone number at the bottom of every sticker.</p> <ul style="list-style-type: none"> • Highly visible white surface. • Non-smudge/Non-fade coating. • 4 rolls of Static Labels. • 2 Replacement Ribbons. <p>NOTE: The dealer should always retain the cardboard core from the used ribbon as it will be needed to attach the new ribbon.</p>	<p>544-M-FK-P9944-03</p> 	<p>\$144</p>			
Technicians Latex Gloves					
<p>DynaGrip™ PF Latex Gloves, X-Large</p> <ul style="list-style-type: none"> • Powder-free latex. • 8 mil. • Exam grade. • Textured surface for gripping power. • Easy slip-on comfort. • Protein rated. • Beaded cuff. • 100 gloves by weight per box. 	<p>223-650-1004</p> 	<p>\$15</p>			
Mechanix Gloves					
<ul style="list-style-type: none"> • TRF cuff. • Reinforced index finger. • Stretch spandex top. • Size: Large. 	<p>223-MG-05-01</p> 	<p>\$27</p>			

Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Safety Glasses					
Safety Glasses	J-48755-9  KENT-MOORE <small>AN SPX BRAND</small>	\$2.70			
Forearm Sleeve for Hot Items					
Hot Sleeve <ul style="list-style-type: none"> • Protects arms from burns while working around the engine. • Made of durable, heat-resistant Kevlar®. • Double wall construction for added heat protection. • Will protect hand and forearm from hot objects. • Will work on either right or left arm. • Sleeve is washable. 	223-18700  Lisle	\$17			
Battery/Electrical Diagnostic Analyzer/Printer					
Battery and Electrical Diagnostic Analyzer This is the tool for proactive battery testing. Building on advanced EXP technology with additional program management features, the Midtronics EXP-800 sets the standard for professional battery and electrical preventative maintenance. <ul style="list-style-type: none"> • Easy-to-use controls. • Compact size. • Integrated printer. • Integrated data card read/write drive. • Combines direct temperature measurement with deep scan technology. • Advanced preventative maintenance algorithms for identifying batteries as they approach end-of-life. 	165-EXP-800-NI  MIDTRONICS	\$1,200			
Service Advisor Podium/Workstation					
Service Advisor Podium with Black Top, Standing-Style <ul style="list-style-type: none"> • Inset countertop for the CRT and lower shelf storage for printer with a paper feed cutout. • Contemporary 4" black twin-wheel casters, two with locking brakes. • Top protected with a countertop laminate and units are finished with a powder-coat paint. • Retractable keyboard mounting pad. • Cabinet with Nissan Red and Silver Metallic Finish. • Dimensions: 27" d x 48-1/8" h x 42" w. 	17-510205  Shure	\$2,363			

Equipment and Tools	Part Number	Price*	Tools/ Equipment on Hand	Order	Total
RECOMMENDED					
Clipboard					
Clipboard <ul style="list-style-type: none"> • Sturdy, brown hard board. • Size: 9" x 12". 	223-40304  WRIGHT TOOL COMPANY	\$5			
Hood Prop with Support					
Hood Prop with Support <ul style="list-style-type: none"> • Includes a support to help prevent slipping. • 3-piece telescoping shaft locks in any position to hold hood to the desired height. • Tool with the support telescopes from 20 – 48-1/4". • Place the support over hood adjuster. • Set the hood prop base into the holding support. 	223-46170  Lisle	\$46			
Hubcap Cap Remover/Installer					
Ken Tool Hubcap Remover/Installer <ul style="list-style-type: none"> • Use to remove and install hubcaps. 	223-T-68  WRIGHT TOOL COMPANY	\$34			
TPMS/Key Tester					
Signal Tech II Tire Pressure Monitor System/Intelligent Key Tester <ul style="list-style-type: none"> • Application: Vehicles equipped with TPMS or Intelligent Key. • Activates and displays TPMS sensor IDs & PSI. • Connect to OBDII & display TPMS Trouble Codes. • Register IDs and reset control module. • Display relative signal strength of Intelligent Key & vehicle components. 	J-50190  KENT-MOORE <small>AN SPX BRAND</small>	\$1,298.89			

Dealership Code:	Date:
Dealership Contact:	
SOLD TO	
Name:	
Attn:	
Street Address:	
City:	
State/Province:	ZIP/Postal:
Tel. No.:	
Fax No.:	
SHIP TO	
Name:	
Attn:	
Street Address:	
City:	
State/Province:	ZIP/Postal:
Tel. No.:	

PAYMENT PLAN	
<input type="checkbox"/>	Non-Vehicle Account Billing – Parts Account
<input type="checkbox"/>	Deferred Billing (30/60/90) add 2% service charge – minimum \$5,000 transaction
<input type="checkbox"/>	DES open account – net 30 days, requires DES approval – 1.5% per month added for late payment
<input type="checkbox"/>	2% Prepayment Discount (check enclosed)
<input type="checkbox"/>	<input type="checkbox"/> Visa <input type="checkbox"/> MasterCard <input type="checkbox"/> American Express Account # _____ Exp.: _____ Name on Card: _____
<input type="checkbox"/>	Lease Term Desired (months): _____ Name of Lease Company: _____ Contact: _____ Phone: _____
IF NO TERMS ARE CHECKED, BILLING WILL DEFAULT TO 30 DAY OPEN ACCOUNT DEALER BILLING	
<input type="checkbox"/>	Do Not Ship Until Notified Estimated Ship Date: _____
<input type="checkbox"/>	New Facility Order Plan Sales Order Number: _____
<input type="checkbox"/>	Ready to Ship
Sales Order No.: _____	
Order/Quote Expiration Date: _____	

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
	11-238-866	Graco Oil King 25 Gallon Used Oil Receiver	\$499.00	
	11-239-301	Graco 16 Gallon Receiver with Drum	\$467.00	
	11-255-200	Graco SDP5 Electronic Preset Metered Dispense Valve	\$622.00	
	119-SOET9000	Snap-on 9,000 lb. Double Scissor Lift	\$11,679.00	
	119-SOE-VZ970125	Snap-on Drive-over Ramps	\$977.00	
	11-HPM65B	Graco Heavy-Duty SD20 Series Open Hose Reel	\$469.00	
	16-1877	OTC 25-Ton Heavy-Duty Oil Filter Crusher	\$3,686.00	
	165-EXP-800-NI	Midtronics Battery and Electrical Diagnostic Analyzer	\$1,200.00	
	16-7377	OTC Klikker Torque Wrench	\$186.00	
	17-510205	Shure Service Advisor Podium with Black Top, Standing-Style	\$2,363.00	
	1-RF13	Hunter Road Force® GSP9700 Wheel Balancer	\$14,077.00	
	1-TC3715EW	Hunter TC3700 Tire Changer	\$13,616.00	
	223-15884-15885	Craftsman 12-Pc. 1/2" Drive 6-Point Standard/Metric Laser Socket Set	\$111.00	
	223-18700	Lisle Hot Sleeve	\$17.00	
	223-1940-8000	General 40' Stubby II® LED Reel Light	\$157.00	
	223-2302-0001	General Stubby II® Cordless LED	\$199.00	
	223-2601-22	Milwaukee M18™ 18 Volt Cordless Drill	\$356.00	
	223-2914M	Grey Pneumatic 14 mm Male Hex Socket	\$13.00	
	223-3288	KD Universal 3-Jaw Oil Filter Wrench	\$17.00	
	223-3369	KD Oil Filter Wrench Pliers	\$31.00	
	223-3613-3512	Wright Tool Reel Light	\$128.00	
	223-40304	Wright Tool Clipboard	\$5.00	
	223-448	Milton Tread Depth Gauge	\$5.00	
	223-44803-43148	Craftsman 1/4", 3/8" and 1/2" Teardrop Ratchet/Socket Set	\$209.00	
	223-45233-50475	Craftsman 3-Pc. Plier Set and Adjustable Wrench Set	\$137.00	
	223-46170	Lisle Hood Prop with Support	\$46.00	
	223-49-24-0145	Milwaukee 12 Volt Rechargeable Worklight	\$33.00	
	223-50000	Lisle Oil Filter Wrench Assortment	\$119.00	
	223-5011	Sioux 3/8" Air Ratchet	\$132.00	

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
	223-5050A	Sioux 1/2" Impact Wrench	\$229.00	
	223-650-1004	SAS DynaGrip™ PF Latex Gloves, X-Large	\$15.00	
	223-7410	Proto 10-Pc. 12-Point Standard/Metric Impact Socket Set	\$82.00	
	223-75140	KTI Deluxe Service Cart — Red	\$428.00	
	223-83754	Lincoln Retractable Air Hose 1/2" x 50'	\$193.00	
	223-9-34951	Craftsman 26-Pc. 12-Point Standard and Metric Combination Wrench Set	\$179.00	
	223-9-45235/9-73573	Craftsman 5-Pc. Tool Roll Pliers Set	\$65.00	
	223-9-47202	Craftsman 8-Pc. Screwdriver Set	\$83.00	
	223-9-47203	Craftsman 10-Pc. Professional Screwdriver Set	\$92.00	
	223-97844	Wright Tool STEELMAN® 8-Pc. Brake Gauge Set	\$25.00	
	223-97952	Steelman® Digital Tire Inflator	\$100.00	
	223-MG-05-01	Mechanix Gloves	\$27.00	
	223-N47	Fulton D-Cell Flashlight	\$14.00	
	223-T-68	Ken Tool Hubcap Remover/Installer	\$34.00	
	315-00-5213	Highland Tank Bulk Storage Tank, Single Wall/New and Used Oil Storage	\$866.00	
	32-41510000	Alpha Pneumatics Pneumatic Delivery System	\$2,604.00	
	39-A10I-RA	Rotary Lift 10,000 lb. Capacity 2-Post Asymmetric Lift	\$4,770.00	
	39-FC5760	Rotary Lift Internal Air Line Kit	\$382.00	
	39-SPOA82-MP	Rotary Lift 7,000 lb. Asymmetric 2-Post Above-Ground Fast Service Lift with Moveable Pads	\$5,728.00	
	44-2120-020	Balcrank Open Air/Water Hose Reel	\$413.00	
	44-2220-008	Balcrank In-Bay Overhead Reels, 4 Gang	\$655.00	
	44-3331-014	Balcrank Electronic Preset Control Handle	\$605.00	
	44-4110-010	Balcrank Spillguard Maximum-Duty Drain	\$499.00	
	450-5012	Borroughs Lockin Parts Storage Cabinet	\$695.00	
	544-DFB-C9674-50A	Slip-N-Grip Static Cling Printer	\$799.00	
	544-M-FK-P9944-03	Slip-N-Grip Red Oil Can Sticker & Ribbon Kit	\$144.00	
	651-2161	Samson Ergonomically Designed Metered Fluid Handles	\$291.00	
	651-3232	Samson 230 Gallon Cubet	\$1,885.00	
	651-3734	Samson 18 Gallon Air Evacuation Oil Drain	\$471.00	
	696-10-001	Dell Corning Seat Protectors 1.0 mil — 200/roll Clear Plastic	\$36.00	
	696-10-005	Dell Corning Standard Seat Protectors .7 mil — 500/roll Clear Plastic	\$53.00	
	696-10-006	Dell Corning Heavy-Duty Seat Protectors 1.5 mil — 200/roll Clear Plastic	\$53.00	
	696-20-008	Dell Corning ECO-Barrier™ Paper Floor Mats	\$36.00	
	J-22775	Kent-Moore Oil Filter Tool, Large, 92 mm	\$16.03	
	J-37140-A	Kent-Moore Oil Filter Tool, Small, 65 mm	\$22.04	
	J-34274	Kent-Moore Oil Filter Tool, Medium, 80 mm	\$25.69	
	J-48775-9	Kent-Moore Safety Glasses	\$2.70	
	J-50190	Kent-Moore TPMS/Key Tester	\$1,298.89	

Authorized Dealer Signature (please print) _____
 Authorized Dealer Signature _____ Date _____
 Authorized Dealer Equipment Signature _____ Date _____

Prices good through 6/30/2012.

Sub Total	
Estimated Freight*	
Estimated Install.	
Taxes	
TOTAL	

ALL SALES ARE F.O.B. SHIPPING POINT. By signing above Dealer accepts all terms and conditions of sale, which are contained within the Program catalog.

INSTALLATION: Does not include Electrical or Air (Dealer's Responsibility).

**I agree that the freight is estimated and my lease/bill will reflect the actual freight charged for all shipments.* Initials _____

Promotion #F11-348

Prices subject to change.
Products are sold F.O.B. Shipping Point.
 Many products are offered at Promotional Pricing throughout the year.
 Please visit nissantechmate.com, click on "Latest Deals" to view the most current promotion offers.

Visit your Tool and Equipment site: nissantechmate.com
Toll free calling: 1-800-662-2001
Fax: 1-800-578-7375