

















**The Tools and Equipment Required - and Recommended - by NNA to effectively complete the service and repairs offered in the Express Service bays**















**Your TECH-MATE District Manager will help you get all of the service tools you need to successfully launch your Express Service business.**








**Call 1-800-662-2001**

Item	Part Number	Price*	Quantities Required			Tools/ Equipment on Hand	Order	Total
			2 Bays	3 Bays	4 Bays			
<b>REQUIRED</b>								
<b>Oil Service</b>								
<b>Graco</b> — 25 gallon Polyethylene Tank with used filter tray. Includes all hardware for top side evacuation or bottom drain.		11-238-866	\$393.65	2	3	4		
<b>Rotary Lift</b> — Two Post 10,000 lb. Capacity Lift with inbay technology		39-A10i-RA	\$4,282.00	2	3	4		
<b>RSC</b> — Static Cling Service Reminder Stickers. 100% smudge proof/guaranteed not to fade.		547-FONIS	\$84.00	1	2	2		
<b>Tire and Brakes</b>								
<b>KD</b> — Brake Pad Thickness Gauge.		624-KDT-3962	\$13.00	2	3	4		
<b>Kent-Moore</b> — Tread Check Kit.		J-47132	\$31.62	2	3	4		
<b>Ingersoll-Rand</b> — 1/2" Drive Air Impact Tool with 2" Extended Anvil. Max Power: 780 ft./lbs. maximum power in reverse.		624-IRC-2135TI-2MAX	\$274.00	2	3	4		
<b>Fairbanks</b> — Dolly, Hardwood. 30" x 18" x 6-1/8". Wide enough to transport four Titan tires. Load capacity 1,000 lbs. Hard rubber 4" swivel casters roll easily within shop.		319-2LNJ7	\$70.00	1	1	2		

\*Prices subject to change. Products are sold F.O.B. Shipping Point.

Item	Part Number	Price*	Quantities Required			Tools/ Equipment on Hand	Order	Total
			2 Bays	3 Bays	4 Bays			
<b>REQUIRED</b>								
<b>Battery</b>								
<b>OTC</b> — Parasitic Drain Tester with Memory Saver. Provides instant feedback of a possible parasitic battery drain condition. Preserves vehicle computer memory.		16-3382	\$235.00	1	1	1		
<b>Midtronics</b> — Handheld Battery and Electrical Diagnostic Analyzer with Integrated Printer. For the lube technician to check battery status. Printout will assist the service advisor and customer in determining if a new battery is required.		165-EXP-800-NI	\$1,125.00	1	2	2		
Flash Memory Card, 2GB, SD **Office Depot Part Number 528795 or equivalent commercially available through local supplier. (For use with Midtronics 165-EXP-800-NI)		528795**	Locally sourced	1	2	2		
<b>Miscellaneous</b>								
<b>Kent-Moore</b> — TPMS Reset. Approved tool designed for triggering TPM sensors in all Nissan and Infiniti vehicles.		J-45295	\$236.79	1	1	1		
Convex Mirror allows technicians to verify tail light operation upon entering bay.		319-JSPN18	\$132.00	1	2	2		
<b>SK Tool</b> — 1/2" Drive 10mm Socket		624-SKT-34260	\$8.00	2	3	4		
<b>ATD</b> — Locking Rolling Toolbox.		624-ATD-7110	\$300.00	2	3	4		
<b>Borroughs</b> — Locking Parts Storage Cabinet.		450-5012	\$655.00	1	2	2		
<b>RSC</b> — Static Cling Service Reminder Printer. Prints a smudge-free static cling reminder label with your dealer name and phone number displayed prominently at the bottom of every label.		547-TLP-NISSAN	\$693.00	1	2	2		

Item		Part Number	Price*	Quantities Required			Tools/ Equipment on Hand	Order	Total
				2 Bays	3 Bays	4 Bays			
<b>REQUIRED</b>									
<b>SK Tool</b> — 14mm Wrench		624-SKT-8314	\$9.00	2	3	4			
<b>SK Tool</b> — 19mm Socket		624-SKT-34269	\$9.00	2	3	4			
<b>SK Tool</b> — 21mm Socket		624-SKT-34271	\$10.00	2	3	4			
<b>ATD</b> — Nut Driver Kit		624-ATD-6258	\$19.00	2	3	4			
<b>SK Tool</b> — 6" Extension		624-SKT-40161	\$10.00	2	3	4			
<b>SK Tool</b> — Micrometer Clicker Torque Wrench 1/2" Drive 20-150 ft./lbs. (1 ft./lb.)		624-SKT-74255	\$116.00	2	3	4			
<b>SK Tool</b> — #2 Phillips Screwdriver		624-SKT-83533	\$4.50	2	3	4			
<b>SK Tool</b> — Hammer		624-SKT-8723	\$23.00	2	3	4			
<b>Kent-Moore</b> — Oil Filter Tool, Small, 65mm		J-37140-A	\$22.04	2	3	4			
<b>Kent-Moore</b> — Oil Filter Tool, Medium, 80mm		J-34274	\$22.85	2	3	4			
<b>Kent-Moore</b> — Oil Filter Tool, Large, 92mm		J-22775	\$15.95	2	3	4			
<b>SK Tool</b> — Needle Nose Pliers		624-SKT-17830	\$26.00	2	3	4			
<b>KD</b> — Push Pin Pliers		624-KDT-3729	\$18.00	2	3	4			
<b>Kent-Moore</b> — Safety Glasses		J-48755-9	\$2.70	2	3	4			

Item	Part Number	Price*	Quantities Required			Tools/ Equipment on Hand	Order	Total
			2 Bays	3 Bays	4 Bays			
<b>RECOMMENDED</b>								
<b>Rotary Lift</b> — 14,000 lb. Closed Front Surface Lift. Mounted runway type drive-on lift with 20' wide fixed runways. Max. Wheelbase: 182-1/2". <b>Recommended: 2 lifts</b>		39-SM14L	\$5,061.00					
<b>Rotary Lift</b> 7,000 lb. Capacity Rolling Jack for 39-SM14L. Lifts front, rear or all wheels off the runways for brake, tire and two- or four-wheel alignment work. <b>Recommended: 1 per lift</b>		39-RJ7000	\$2,522.00					
Internal Air Line Kit		39-FC5760	\$329.00					
<b>Rotary Lift</b> — Battery powered mobile wheel lift for mounting and transporting wheels. Allows wheel to spin for simple lug nut alignment.		39-MW5	\$1,658.00					
<b>OTC</b> — 25-ton capacity Automotive Oil Filter Crusher, automatic cycle feature; crushes filter to 1/6 of original size. Covered by Lifetime Marathon Warranty®. <b>Recommended: 1 unit</b>		16-1875	\$2,252.00					
<b>Alpha Pneumatics</b> — Pneumatic Delivery System — 2 full-size stations. A productive way to move car keys, work orders, invoices, etc. in your dealership from point to point. <b>Recommended: 1 system</b>		32-41510000	\$2,604.00					
<b>Balcrank</b> — In-Bay Overhead Reels, 4 Gang.		44-2220-008	\$596.00					
<b>Hunter</b> — Road Force Measurement System.		1-GSP972200	\$10,387.00					
<b>Hunter</b> — Tire Changer with high-torque electric tulip clamp.		1-TC3510E	\$9,457.00					

\*Prices subject to change.

Products are sold F.O.B. Shipping Point.

1 - 800 - 662 - 2001

Dealership Code:	Date:
Dealership Contact:	
SOLD TO	
Name:	
Attn:	
Street Address:	
City:	
State/Province:	ZIP/Postal:
Tel. No.:	
Fax No.:	
SHIP TO	
Name	
Attn:	
Street Address:	
City:	
State/Province:	ZIP/Postal:
Tel. No.:	

PAYMENT PLAN	
<input type="checkbox"/> Non-Vehicle Account Billing – Parts Account	
<input type="checkbox"/> Deferred Billing (30/60/90) add 2% service charge – minimum \$5,000 transaction	
<input type="checkbox"/> DES open account – net 30 days, requires DES approval – 1.5% per month added for late payment	
<input type="checkbox"/> 2% Prepayment Discount (check enclosed)	
<input type="checkbox"/> Visa <input type="checkbox"/> MasterCard <input type="checkbox"/> American Express Account # _____ Exp.: _____ Name on Card: _____	
<input type="checkbox"/> Lease    Term Desired (months): _____ Name of Lease Company: _____ Contact: _____ Phone: _____	
IF NO TERMS ARE CHECKED, BILLING WILL DEFAULT TO 30 DAY OPEN ACCOUNT DEALER BILLING	
<input type="checkbox"/> Do Not Ship Until Notified Estimated Ship Date: _____	
<input type="checkbox"/> New Facility Order Plan Sales Order Number: _____	
<input type="checkbox"/> Ready to Ship	
Sales Order No.:	
Order/Quote Expiration Date:	

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
	1-GSP972200	Road Measurement System	\$10,387.00	
	1-TC3510E	Tire Changer	\$9,457.00	
	11-238-866	Graco 25 gallon Polyethylene Tank	\$393.65	
	16-1875	SPX OTC 25-Ton Capacity Oil Filter Crusher	\$2,252.00	
	16-3382	SPX OTC Parasitic Drain Tester	\$235.00	
	32-41510000	Alpha Pneumatics Inc. Pneumatic Delivery System	\$2,604.00	
	39-A10i-RA	Rotary Two Post 10,000 lb. Capacity Lift w/inbay	\$4,282.00	
	39-FC5760	Rotary Internal Air Line Kit	\$329.00	
	39-MW5	Battery Powered Wheel Lift	\$1,658.00	
	39-RJ7000	Rotary 7,000 lb. Capacity Rolling Jack	\$2,522.00	
	39-SM14L	Rotary 14,000 lb. Closed Front Surface Lift	\$5,061.00	
	44-2220-008	Balcrank In-Bay Overhead Reels	\$596.00	
	165-EXP-800-NI	Midtronics Handheld Battery and Electrical Diagnostic Analyzer	\$1,125.00	
	319-2LNJ7	Dolly, Hardwood	\$70.00	
	319-JSPN18	Convex Mirror	\$132.00	
	450-5012	Borroughs Locking Parts Storage Cabinet	\$655.00	
	547-FONIS	Static Cling Service Reminder Stickers	\$84.00	
	547-TLP-NISSAN	Static Cling Service Reminder Printer	\$693.00	

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
	624-ATD-6258	Nut Driver Kit	\$19.00	
	624-ATD-7110	Locking Rolling Toolbox	\$300.00	
	624-IRC-2135TI-2MAX	Ingersoll Rand 1/2" Drive Air Impact Tool	\$274.00	
	624-KDT-3729	KD Tools Push Pin Pliers	\$18.00	
	624-KDT-3962	KD Tools Brake Pad Thickness Gauge	\$13.00	
	624-SKT-17830	Needle Nose Pliers	\$26.00	
	624-SKT-34260	1/2" Drive 10mm Socket	\$8.00	
	624-SKT-34269	19mm Socket	\$9.00	
	624-SKT-34271	21mm Socket	\$10.00	
	624-SKT-40161	6" Extension	\$10.00	
	624-SKT-74255	SK Hand Tools Micrometer Clicker Torque Wrench	\$116.00	
	624-SKT-8314	14mm Wrench	\$9.00	
	624-SKT-83533	#2 Phillips Screwdriver	\$4.50	
	624-SKT-8723	Hammer	\$23.00	
	J-22775	Oil Filter Tool, Large, 92mm	\$15.95	
	J-34274	Oil Filter Tool, Medium, 80mm	\$22.85	
	J-37140-A	Oil Filter Tool, Small, 65mm	\$22.04	
	J-45295	SPX Kent-Moore TPMS Reset	\$236.79	
	J-47132	Tread Check Kit	\$31.62	
	J-48755-9	Safety Glasses	\$2.70	

Authorized Dealer Signature (please print) \_\_\_\_\_

Authorized Dealer Signature \_\_\_\_\_ Date \_\_\_\_\_

Authorized Dealer Equipment Signature \_\_\_\_\_ Date \_\_\_\_\_

**Prices good through 9/30/09.**

**ALL SALES ARE F.O.B. SHIPPING POINT.** By signing above Dealer accepts all terms and conditions of sale, which are contained within the Program catalog.

**INSTALLATION:** Does not include Electrical or Air (Dealer's Responsibility).

\*I agree that the freight is estimated and my lease/bill will reflect the actual freight charged for all shipments. Initials \_\_\_\_\_

**Promotion #NI09-75A**

Sub Total	
Estimated Freight*	
Estimated Install.	
Taxes	
<b>TOTAL</b>	